



ऊर्जा दक्षता ब्यूरो
(भारत सरकार, विद्युत मंत्रालय)
BUREAU OF ENERGY EFFICIENCY
(Government of India, Ministry of Power)



F.No. BEE/S&L/Ceiling Fan/05/2024-25

3rd September, 2024

इलेक्ट्रिक सीलिंग टाइप पंखों के लिए पूर्व-प्रकाशित संशोधन विनियमों के संबंध में सलाह

Advisory regarding Pre-Published Amendment Regulations for Electric Ceiling Type Fans

This is with reference to the Standards and Labeling (S&L) Program for Electric Ceiling Type Fans. In this regard, please note that in accordance with the provisions of the Energy Conservation (EC) Act, the draft amendment regulations for ceiling fan have been pre-published in the Gazette of India, Extraordinary Part III – Section 4, vide No. BEE/S&L/Ceiling Fan/05/2023-24 dated 29th August, 2024.

The said draft amendment regulations are open for public comments for a period of 30 days from 29th August, 2024. (A copy of the pre-published regulations is attached herewith for reference).

Comments if any, on the draft regulations, may please be sent to dheeraj.pandey96@beeindia.gov.in.

Please note: Last date of receiving the comments is 28th September, 2024.

प्र. शामल
(प्रभातनलिनी सामल)
निदेशक



भारत का राजपत्र The Gazette of India

सी.जी.-डी.एल.-अ.-02092024-256822
CG-DL-E-02092024-256822

असाधारण
EXTRAORDINARY

भाग III—खण्ड 4
PART III—Section 4

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 679]
No. 679]

नई दिल्ली, बृहस्पतिवार, अगस्त 29, 2024/भाद्र 7, 1946
NEW DELHI, THURSDAY, AUGUST 29, 2024/BHADRA 7, 1946

ऊर्जा दक्षता ब्यूरो
अधिसूचना

नई दिल्ली, 29 अगस्त, 2024

सं. बीईई/एसएंडएल/सीलिंग फैन/05/2023-24.—ऊर्जा दक्षता ब्यूरो, केन्द्रीय सरकार के पूर्व अनुमोदन से ऊर्जा संरक्षण अधिनियम, 2001 (2001 का 52) की धारा 58 की उपधारा (2) के खंड (झ) के साथ पठित धारा 13 की उपधारा (2) के खंड (ढ) और धारा 14 के खंड (घ) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, ऊर्जा दक्षता ब्यूरो (इलेक्ट्रिक सीलिंग टाइप पखों के लेबल पर उनके संप्रदर्शन की विशिष्टियां और रीति) विनियम 2022 में संशोधन का प्रस्ताव करता है, प्रस्तावित मसौदा संशोधनों को उक्त अधिनियम की धारा 58 की उपधारा (1) द्वारा यथाअपेक्षित, इससे प्रभावित होने वाले सभी संभावित व्यक्तियों की सूचना के लिए भारत के असाधारण राजपत्र, में प्रकाशित किया जाता है तथा इस पर उनके सुझाव और आपत्तियां (यदि कोई हो तो) आमंत्रित की जाती हैं और यह सूचित किया जाता है कि इस पर विनियम मसौदे के भारत के असाधारण राजपत्र में प्रकाशन की तारीख के तीस दिन की अवधि की समाप्ति पर या उसके बाद विचार किया जाएगा;

आपत्तियां या सुझाव, यदि कोई हो तो, महानिदेशक, ऊर्जा दक्षता ब्यूरो, विद्युत मंत्रालय, चौथा तल, सेवा भवन, सेक्टर - 1, आर.के. पुरम, नई दिल्ली-110066 को भेजे जा सकते हैं;


उक्त पैरा 1 में विनिर्दिष्ट तीस दिनों की अवधि की समाप्ति से पहले उक्त मसौदा संशोधन विनियमों के संबंध में व्यक्तियों से प्राप्त होने वाली आपत्तियों या सुझावों पर ऊर्जा दक्षता ब्यूरो द्वारा विचार किया जाएगा।

1. **संक्षिप्त शीर्षक और प्रारंभ.-** (1) इन विनियमों का संक्षिप्त नाम ऊर्जा दक्षता ब्यूरो (इलेक्ट्रिक सीलिंग टाइप पंखों के लेबल पर उनके संप्रदर्शन की विशिष्टियां और रीति), (संशोधन) विनियम, 2024 है।
(2) ये राजपत्र में उनके प्रकाशन की तारीख से प्रवृत्त होंगे।
2. विनियम 3 के उप-विनियम (1) में, मद (i) के पश्चात्, निम्नलिखित को अंतःस्थापित जाएगा, अर्थात्:-
(ट) बिजली की बचत/वर्ष (किलोवाट घंटा); और
(ठ) CO2 उत्सर्जन में कमी/वर्ष (किलोग्राम CO2)
3. **उक्त विनियमों में, अनुसूची में, शीर्षक के अधीन,-**"इलेक्ट्रिक सीलिंग टाइप पंखे के लेबल पर उनके संप्रदर्शन की विशिष्टियां" मद "1(i)(क) और (ख), (ii)(iii) और (iv)", के अधीन निम्नलिखित को क्रमशः प्रतिस्थापित किया जाएगा, अर्थात्:-

1. लेबल डिजाइन

(i) आयाम :

(क) पैकेजिंग पर चस्पा किए जाने वाले लेबल का आयाम:



(ख) सीलिंग फैन मोटर पर चस्पा किए जाने वाले लेबल का आयाम:




(ii) लेबल के लिए रंग योजना :


नेवी ब्लू – सी: 97, एम : 95 , वाई: 6, के: 1

हरा – सी: 81, एम: 10, वाई: 90, के: 1

टिप्पण : ब्यूरो के लोगो का निचला भाग और स्टार फिलर केवल हरे रंग में तथा सभी फ्रॉन्ट और ब्यूरो के लोगो का शीर्ष भाग नेवी ब्लू रंग में




(iv) इलेक्ट्रिक सीलिंग टाइप पंखे के लिए मुद्रित लेबल का पूरा नमूना :




4. मूल विनियमन के सभी प्रपत्रों में, "ऊर्जा दक्षता ब्यूरो (इलेक्ट्रिक सीलिंग टाइप फैन के लेबल पर उनके संप्रदर्शन की विशिष्टियां और रीति) विनियम, 2022" शब्द और अंक जहां कहीं भी ये आते हैं, उनके स्थान पर निम्नलिखित को जोड़ा जाएगा, अर्थात्:-

"ऊर्जा दक्षता ब्यूरो (इलेक्ट्रिक सीलिंग टाइप पंखे के लेबल पर उनके संप्रदर्शन की विशिष्टियां और रीति) संशोधन विनियम, 2024"।

5. उक्त विनियमों में, प्रपत्र II के अनुबंध क-II की मद 5 शीर्षक "इलेक्ट्रिक सीलिंग टाइप पंखे पर चस्पा किए जाने वाले लेबल का नमूना नीचे दर्शाया गया है" के अधीन, निम्नलिखित को प्रतिस्थापित किया जाएगा, अर्थात् -



6. उक्त विनियमों में, प्रपत्र IV के अनुबंध क-IV की मद संख्या 4 के अधीन, शीर्षक "ब्यूरो द्वारा विधिवत् अनुमोदित लेबल का नमूना जिसे इलेक्ट्रिक सीलिंग टाइप पंखे पर चस्पा किया जाना है, नीचे दर्शाया गया है (फैमिली मॉडल के लिए अलग नमूने संलग्न हैं)" के अधीन, निम्नलिखित को प्रतिस्थापित किया जाएगा, अर्थात् -



पत्र में दिए गए यूनिक लेबल श्रृंखला कोड का उल्लेख इलेक्ट्रिक सीलिंग टाइप पंखे पर लगे लेबल में किया जाना चाहिए।

श्रीकांत नागुलापल्ली, महानिदेशक,

[विज्ञापन-III/4/असा./449/2024-25]

टिप्पण: मूल विनियम भारत के राजपत्र, असाधारण, भाग III, खंड 4 में अधिसूचना संख्यांक बीईई/एसएंडएल/सीलिंग पंखे/05/2019-20 दिनांक 19 मई, 2022 द्वारा प्रकाशित किए गए थे।

THE BUREAU OF ENERGY EFFICIENCY

NOTIFICATION

New Delhi, the 29th August, 2024

No. BEE/S&L/Ceiling Fan/05/2023-24.—In exercise of the powers conferred by clause (i) of sub-section (2) of section 58 read with clause (n) of sub-section (2) of section 13 and clause(d) of section 14 of the Energy Conservation Act, 2001 (52 of 2001), the Bureau of Energy Efficiency with the previous approval of the Central Government, hereby amend the Bureau of Energy Efficiency (Particulars and Manner of their Display on Labels of Electric Ceiling Type Fans) Regulation, 2022, the proposed draft amendments are hereby published in the Gazette of

India, Extraordinary, as required by sub-section (1) of section 58 of the said Act, for the information of all the persons likely to be affected thereby and inviting their suggestions and objections (if any); and the notice is hereby given that the said draft regulations shall be taken into consideration on or after the expiry of a period of thirty days from the date of their publication in the Gazette of India, Extraordinary;

Objections or suggestions, if any, may be addressed to the Director-General, Bureau of Energy Efficiency, Ministry of Power, 4th Floor, Sewa Bhawan, Sector-1, R.K.Puram, New Delhi-110066;

Objections or suggestions which may be received from the persons with respect to the said draft amendment regulations before the expiry of the period of thirty days specified in para 1 above, shall be taken into consideration by the Bureau of Energy Efficiency.

1. **Short title and commencement.**-(1) These regulations may be called the Bureau of Energy Efficiency (Particulars and Manner of their Display on Labels of Electric Ceiling Type Fans), Amendment Regulations, 2024.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In sub-regulation (1) of regulation 3 after item(j), the following shall be inserted namely.-

(k) Electricity Saving/Year (kWh) ; and


(l) CO₂ Emission Reduction/Year (KgCO₂) ;

3. In the said regulations, in Schedule, under the heading, —“Particulars to be displayed on labels of electric ceiling type fan”, under item “1(i)(a) & (b), (iii) & (iv)”, the following shall be substituted respectively, namely.-

1. Label design

(i) Dimension:

(a) Dimension of the label to be affixed on packaging:



(b) Dimension of the label to be affixed on Ceiling Fan Motor:




(ii) Colour scheme for the label :


NAVY BLUE – C: 97, M:95 , Y:6 , K:1

GREEN – C: 81 , M: 10 , Y:90 , K:1

Note: Bottom of Bureau's logo and star filler in **GREEN** colour only and all fonts and top of Bureau's logo in **NAVY BLUE**



- (iv) The complete specimen of a printed label for Electric Ceiling Type fan:



4. In all the FORMS of the principal regulation, for figures and words “Bureau of Energy Efficiency (Particulars and Manner of their Display on Label of Electric Ceiling Type fan) Regulations, 2022” wherever they occurs, the following shall be substituted namely:-

“Bureau of Energy Efficiency (Particulars and Manner of their Display on Label of Electric Ceiling Type fan) Amendment Regulations, 2024”.


5. In the said regulations, under item 5 of Annexure A– II of Form II, under the heading “Specimen of the label to be affixed on the Electric Ceiling Type fan is shown below, the following shall be substituted”, namely.-

ENERGY EFFICIENCY	
Service Value - 5.2*	
Label Period : 11 th January 2024 to 31 st December 2025	
Appliance/Type	Ceiling Fan
Brand	A9C
Model name/Year	XYZ/YYYYYY
Motor Type	Induction/BLDC
Swamp Size (mm)	XX mm
Power Input (watts)	XX watts
Air Delivery (cu m/min)	XX CU M/MIN
Electricity Savings/Year**	XX kWh
CO ₂ Emission Reduction/Year**	XX KgCO ₂

* Under test conditions, when tested in accordance with IS-141: 2018 including all amendments. Actual service value may vary as per site conditions.
**Based on theoretical calculations.



6. In the said regulations, under item no.4 of Annexure A - IV of Form IV, under the heading “Specimen of the label duly approved by the Bureau to be affixed on the Electric Ceiling Type Fan is shown below (Separate specimens for family of models is annexed)”, the following shall be substituted, namely.-



The unique label series code provided in the letter has to mentioned in the label affixed on the Electric Ceiling Type Fan.

SRIKANT NAGULAPALLI, Director General,

[ADVT.-III/4/Exty./449/2024-25]

Note.- The principal regulations were published in the Gazette of India, Extraordinary, Part III, Section 4 vide notification number No. BEE/S&L/Ceiling Fan/05/2019-20 dated 19th May, 2022.