



ऊर्जा दक्षता ब्यूरो

(भारत सरकार, विद्युत मंत्रालय)

BUREAU OF ENERGY EFFICIENCY

(Government of India, Ministry of Power)




9th February, 2022

ALERT

Important Instruction to all Pump sets manufacturers and permittees:

This is to inform that manufacturers/ Permittees wishing to apply for seeking star label for agriculture pump sets shall apply with sample label format as described below:

120.00 mm			
		Performance Factor : Overall Efficiency of the Pump sets: _____ %	
BEE/XXX/XXX/XX		BEE/XXX/XXX/XX	
Label Period: 1st February 2020 - 31st January 2023			
Submersible/Openwell/Mo noset Pump	Brand:		Min. Sub: m
Type	Model/ Year :		Rated Power: Kw/ HP
Del. Size : mm	Head: m	Dis: lps	Operating Head Range: m
Max. Current: A	Speed: RPM	CONN.	No. of Stages:
Minimum Bore Size: mm	___V, ___PH, 50Hz, Duty-S1, Category- A/B		S.No:
*Under test conditions when tested in accordance with IS: 8034/9079/14220, the actual energy consumption will depend on how the equipment is being used			
70.00 mm			

(i) Colour Scheme for Logo

BLUE –

Hue (H)-239° Saturation(S):64% Brightness (B):59%

Luminance or lightness (L):28, chromatic components -a: 24 b: 54

Red(R):54 Green (G):55 Blue (B):151

Cyan(C):97% Magenta (M):95% Yellow(Y):6% Black (K):1%

Web color code - #363797

GREEN –

Hue (H)-150° Saturation(S):10% Brightness (B):67%

Luminance or lightness (L):61, chromatic components -a: 53 b: 32

Red(R):0 Green (G):170 Blue (B):87

Cyan(C):81% Magenta (M):10% Yellow(Y):90% Black (K):1%

Web color code - #00AA56

P. Samal

स्वहित एवं राष्ट्रहित में ऊर्जा बचाएँ


Save Energy for Benefit of Self and Nation

(ii) Label Material

The label shall be durable (cardboard or metal) and possess good wear and tear characteristics and self-adhesive type. It should stick tightly on the appliance surface. The design and dimension of the label for pump sets shall be as given for sample labels specified in this alert above.

**Note: Sample label shall not be placed on letter head or A4 size sheet. It should be uploaded with exact size in JPEG format as mentioned above in the alert.*

This issues with the approval of Competent Authority.

A handwritten signature in black ink, reading "P. Samal.", with a horizontal line underneath.

(Pravatanalini Samal)
Director